

LED line PRIME

Code: 201125

EAN: 5905378201125

**Ceiling Light ACTON 4000K 18W
2000lm round IP54 white PRIME motion
sensor**



The ACTON LED line PRIME is a harmonious combination of modernity and functionality. With 18 W power, it achieves an impressive light stream of 2000 lm, which provides performance of 110 lm/W. Its white color and color temperature 4000 K create pleasant lighting, ideal for different spaces. The use of a polycarbonate housing guarantees high impact resistance (IK08) and IP54 tightness.



Technical data

Parameter	Value
Energy efficiency class 2019/2015	E
Warranty	5
Power	• 18 W
Voltage	• 220-240 V AC
Correlated colour temperature	• 4000 K
Colour of the light	White
Colour rendering index Ra	80
IP protection rating	IP54
IK protection rating	08
IEC protection class	II
Luminous efficacy	110
Luminous flux	2000
The lumen maintenance factor	96
Lifetime L70B50	30 000 h
Survival factor	0.9
Dimmable function	-
Colour consistency in McAdam ellipses	≤6

Parameter	Value
Hold time	90 s
Frequency of the supply voltage	50/60Hz
Beam angle	120
Motion detection range and angle	360° 8m
Sensor type	Microwave
LED type	SMD2835
Power Factor	0,9
Lamp's warm-up time to 60%	1
Ambient temperature suitable for operation	-25÷40
Height	51 mm
Fixture's diameter	220 mm
Diameter	220 mm
Weight	0,522 kg
Colour	White
Material (housing)	Polycarbonate
Material (cover)	Polycarbonate


LED line PRIME

Code: 201125


EAN: 5905378201125

**Ceiling Light ACTON 4000K 18W
2000lm round IP54 white PRIME motion
sensor**

Technical drawing






Light distribution



Additional product photos



Logistics data



Single packaging

Width	220 mm
Height	220 mm
Length	60 mm
Weight	0,61 kg

Bulk packaging

Quantity	20
Width	470 mm
Height	250 mm
Length	615 mm
Volume	
Weight	12,75 kg

Europallet

Quantity	360
Height	1,9 m
Quantity in layer	
Number of layers	
Bulk quantity	18
Weight	250 kg

LED line PRIME

Code: 201125

EAN: 5905378201125

**Ceiling Light ACTON 4000K 18W
2000lm round IP54 white PRIME motion
sensor**

Example application