

LED line PRIME

Code: 202108

EAN: 5905378202108

**LED tube T8 G13 4000K 22W 3300lm
230V 270° 150cm Glass PRIME (Without jumper)**



The LED line T8 22W 4000K lamp is an advanced light source with a length of 150 cm and a luminous flux of 3300 lumens. With a luminous efficiency of 150 lm/W, it features low energy consumption and a lifespan estimated at 25,000 hours. The product, made of glass with a frosted cover, provides even light distribution without flickering.

Tube WITHOUT A JUMPER.



Technical data

Parameter	Value
Energy efficiency class 2019/2015	D
Warranty	5
Power	• 22 W
Voltage	• 220-240 V AC
Correlated colour temperature	• 4000 K
Colour of the light	White
Colour rendering index Ra	80
IP protection rating	IP20
Luminous efficacy	150
Luminous flux	3300 lm
The lumen maintenance factor	96
Lifetime L70B50	25 000 h
Survival factor	0.9
Colour consistency in McAdam ellipses	≤6
Frequency of the supply voltage	50/60Hz

Parameter	Value
Lamp's type	T8
Beam angle	270 °
LED type	SMD2835
LED quantity	120
Lifespan	25 000 h
Power Factor	0,9
Number of on/off cycles	50000
Lamp's warm-up time to 60%	1
For indoor use	Inside
Length	1500 mm
Diameter	28 mm
Weight	0,250 kg
Material	Glass
Material (housing)	Glass
Material (cover)	glass


LED line PRIME

Code: 202108


EAN: 5905378202108

**LED tube T8 G13 4000K 22W 3300lm
230V 270° 150cm Glass PRIME (Without jumper)**


Technical drawing



Light distribution



Additional product photos



Logistics data



Single packaging

Quantity	1
Width	47 mm
Height	36 mm
Length	47 mm
Weight	0,34 kg

Bulk packaging

Quantity	25
Width	175 mm
Height	170 mm
Length	1590 mm
Volume	0,047 m3
Weight	8,5 kg

Europallet

Quantity	600
Height	1,8 m
Quantity in layer	
Number of layers	
Bulk quantity	24
Weight	252 kg

LED line PRIME

Code: 202108

EAN: 5905378202108

**LED tube T8 G13 4000K 22W 3300lm
230V 270° 150cm Glass PRIME (Without
jumper)**

Example application