

LED line LITE


Code: 209831

EAN: 5905378209831

**Park luminaire PARKLITE 3CCT(3/4/6K)
80-100-120W 9600-14400lm IP65 grey
LITE**



PARKLITE 80-100-120W CCT is a highly efficient light source with a total light stream of 8000 to 14400 lumens. The used SMD LEDs 2835 provide light performance of 120 lm/W and a high colour reproduction coefficient of 80 Ra. Housing made of aluminium and tempered glass guarantees durability and resistance to atmospheric conditions (IP65).



Technical data

Parameter	Value
Energy efficiency class 2019/2015	E
Warranty	3
Power	<ul style="list-style-type: none"> • 80 W • 100 W • 120 W
Voltage	<ul style="list-style-type: none"> • 220-240 V AC
Correlated colour temperature	<ul style="list-style-type: none"> • 3000 K • 4000 K • 6000 K
Colour of the light	White
Colour rendering index Ra	80
IP protection rating	IP65
IK protection rating	08
IEC protection class	I
Luminous efficacy	120
Luminous flux	9600-14400
The lumen maintenance factor	96
Lifetime L70B50	25 000 h
Survival factor	0.9

Parameter	Value
Colour consistency in McAdam ellipses	≤6
ULOR	2,3 %
Wire length	400 mm
Frequency of the supply voltage	50/60Hz
Beam angle	100
LED type	SMD LED 2835
LED quantity	384
Power Factor	0,9
Lamp's warm-up time to 60%	1
Ambient temperature suitable for operation	-30÷50
Height	117
Weight	2190
Material (housing)	Aluminium
Material (cover)	Tempered glass


LED line LITE

Code: 209831


EAN: 5905378209831

**Park luminaire PARCLITE 3CCT(3/4/6K)
80-100-120W 9600-14400lm IP65 grey
LITE**


Technical drawing






Light distribution



Additional product photos



Logistics data



Single packaging

Width	420 mm
Height	135 mm
Length	425 mm
Weight	2,25 kg

Bulk packaging

Quantity	4
Width	445 mm
Height	430 mm
Length	550 mm
Volume	0,105 m ³
Weight	9,3 kg

Europallet

Height	1780 mm
Quantity in layer	8
Number of layers	4
Bulk quantity	32
Weight	74,4 kg

LED line LITE

Code: 209831

EAN: 5905378209831

**Park luminaire PARKLITE 3CCT(3/4/6K)
80-100-120W 9600-14400lm IP65 grey
LITE**

Example application