

LED line LITE






Code: 209978

EAN: 5905378209978

**DOWNLIGHT EASY FLEX 3CCT(3K/4K/5K)  
18W 1530lm round IP20 White LITE  
motion sensor**



Downlight EASY FLEX 18W CCT is a modern lighting setting, characterized by an elegant round shape and white finish. It emits a total luminous flux of 1530 lm at 85 lm/W. Thanks to the function of changing the temperature of light (3000 K, 4000 K, 5000 K) it provides flexibility to adjust the atmosphere to the needs of the user.



**Technical data**

Parameter	Value
Energy efficiency class 2019/2015	E
Warranty	3
Power	• 18 W
Voltage	• 220-240 V AC
Correlated colour temperature	• 3000 K • 4000 K • 5000 K
Colour of the light	CCT
Colour rendering index Ra	80
IP protection rating	IP20
IK protection rating	05
IEC protection class	II
Luminous efficacy	85
Luminous flux	1530
The lumen maintenance factor	96
Lifetime L70B50	30 000 h
Survival factor	0.9
Colour consistency in McAdam ellipses	≤6

Parameter	Value
Hold time	60 s.
Frequency of the supply voltage	50/60Hz
Beam angle	120
Sensor type	Microwave
LED type	SMD2835
LED quantity	86
Power Factor	≥0,9
Number of on/off cycles	15000
Lamp's warm-up time to 60%	1
Ambient temperature suitable for operation	-20 ÷ 40
Installation method	3in1 surface mounted, flush mounted, suspended
Mounting hole diameter	65-185
Height	17 mm
Fixture's diameter	225 mm
Weight	0,45 kg
Colour	White


LED line LITE

Code: 209978


EAN: 5905378209978

**DOWNLIGHT EASY FLEX 3CCT(3K/4K/5K)  
18W 1530lm round IP20 White LITE  
motion sensor**

**Technical drawing**



**Light distribution**



**Additional product photos**



**Logistics data**



**Single packaging**

Width	31 mm
Height	230 mm
Length	230 mm
Weight	0,36 kg

**Bulk packaging**

Quantity	20
Width	335 mm
Height	255 mm
Length	480 mm
Weight	9,52 kg

**Europallet**

Quantity	540
Height	1,5 m
Bulk quantity	27
Weight	290 kg

---

LED line LITE

Code: 209978

EAN: 5905378209978

**DOWNLIGHT EASY FLEX 3CCT(3K/4K/5K)  
18W 1530lm round IP20 White LITE  
motion sensor**

---

Example application