


LED line LITE



Code: 209985

EAN: 5905378209985

**DOWNLIGHT EASY FLEX 4000K 24W
2110lm round IP20 White LITE**



Downlight EASY FLEX 24W 4000K is a modern LED lighting with high performance and elegant round shape. It emits a luminous flux of 2110 lumens at a colour temperature of 4000 K, which provides neutral light ideal for different spaces. The product achieves a colour reproduction coefficient of Ra at level 80 and energy efficiency E. It is impact resistant (IK05) and has IP20 leak class.



Technical data

| Parameter | Value |
|-----------------------------------|----------------|
| Energy efficiency class 2019/2015 | E |
| Warranty | 3 |
| Power | • 24 W |
| Voltage | • 220-240 V AC |
| Correlated colour temperature | • 4000 K |
| Colour of the light | White |
| Colour rendering index Ra | 80 |
| IP protection rating | IP20 |
| IK protection rating | 05 |
| IEC protection class | II |
| Luminous efficacy | 88 |
| Luminous flux | 2110 |
| The lumen maintenance factor | 96 |
| Lifetime L70B50 | 30 000 h |
| Survival factor | 0.9 |

| Parameter | Value |
|--|----------|
| Colour consistency in McAdam ellipses | ≤6 |
| Frequency of the supply voltage | 50/60Hz |
| Beam angle | 120 |
| LED type | SMD2835 |
| LED quantity | 84 |
| Power Factor | ≥0,9 |
| Number of on/off cycles | 15000 |
| Lamp's warm-up time to 60% | 1 |
| Ambient temperature suitable for operation | -20 ÷ 40 |
| Mounting hole diameter | 65-240 |
| Height | 17 mm |
| Fixture's diameter | 300 mm |
| Weight | 0,57 kg |
| Colour | White |


LED line LITE

Code: 209985


EAN: 5905378209985

**DOWNLIGHT EASY FLEX 4000K 24W
2110lm round IP20 White LITE**

Technical drawing






Light distribution



Additional product photos



Logistics data



Single packaging

| | |
|--------|---------|
| Width | 31 mm |
| Height | 305 mm |
| Length | 305 mm |
| Weight | 0,75 kg |

Bulk packaging

| | |
|----------|---------|
| Quantity | 10 |
| Width | 325 mm |
| Height | 325 mm |
| Length | 335 mm |
| Weight | 8,42 kg |

Europallet

| | |
|---------------|--------|
| Quantity | 300 |
| Height | 1,7 m |
| Bulk quantity | 30 |
| Weight | 290 kg |

LED line LITE

Code: 209985

EAN: 5905378209985

**DOWNLIGHT EASY FLEX 4000K 24W
2110lm round IP20 White LITE**

Example application