

LED line LITE Code: 209992 EAN: 5905378209992

### **DOWNLIGHT EASY FLEX 3CCT(3K/4K/5K)** 24W 2110lm round IP20 White LITE motion sensor





Downlight EASY FLEX 24W CCT is a modern round LED panel with a luminous flux of 2110 lumens, providing high light performance of 88 lm/W. Thanks to the possibility of changing the colour of the light in the range 3000 K, 4000 K and 5000 K it is perfectly adapted to different lighting needs. It has a motion sensor with a detection angle of up to 180° and a range of 10 m, as well as characterized by IP20 leak class and IK05 resistance.



















#### **Technical data**

Parameter	Value	
Energy efficiency class 2019/2015	cy class 2019/2015 E	
Warranty	3	
Power	• 24 W	
Voltage	• 220-240 V AC	
Correlated colour temperature	<ul><li>3000 K</li><li>4000 K</li><li>5000 K</li></ul>	
Colour rendering index Ra	80	
IP protection rating	IP20	
IK protection rating	05 II 88 2110 96 30 000 h 0.9 ≤6	
IEC protection class		
Luminous efficacy		
Luminous flux		
The lumen maintenance factor		
Lifetime L70B50		
Survival factor		
Colour consistency in McAdam ellipses		


Parameter	Value	
Hold time	60 s.	
Frequency of the supply voltage	50/60Hz	
Beam angle	120	
LED type	SMD2835	
LED quantity	168	
Number of on/off cycles	15000	
Lamp's warm-up time to 60%	1	
Ambient temperature suitable for operation	-20÷40	
Installation method	3in1 surface mounted, flush mounted, suspended	
Mounting hole diameter	65-240	
Height	17	
Fixture's diameter	300	
Weight	0,63 kg	
Colour	White	




LED line LITE Code: 209992 EAN: 5905378209992

## DOWNLIGHT EASY FLEX 3CCT(3K/4K/5K) 24W 2110Im round IP20 White LITE motion sensor

#### **Technical drawing**



#### Light distribution



#### Additional product photos












#### Logistics data







#### Single packaging

Width	31 mm	
Height	305 mm	
Length	305 mm	
Weight	0,56 kg	

#### **Bulk packaging**

Quantity	10
Width	325 mm
Height	325 mm
Length	335 mm
Weight	8,42 kg

Europallet

Bulk quantity	240

### MORE EFFICIENCY FOR THE LED WORLD



LED line LITE Code: 209992 EAN: 5905378209992

# DOWNLIGHT EASY FLEX 3CCT(3K/4K/5K) 24W 2110Im round IP20 White LITE motion sensor

**Example application**