LED line LITE

Code: 242267

EAN: 5901583242267

LED bulb GU10 6500K 1W 80lm 230V 120° Glass LITE



LED bulb GU10 1W 6500K from LED line LITE is an efficient light source that emits cold white colour at 6500 K. It is characterized by a light stream of 80 lumens and a wide light angle of 120°. Thanks to the SMD2835 technology used, the product provides high light efficiency of 80 lm/W and long-lasting life of up to 30,000 hours. Made of glass, the housing gives it an elegant look and resistance to damage.

3 WARRANTY

IP 20

ON/OFF 50.000

CE

Technical data

Parameter	Value
Energy efficiency class 2019/2015	G
Warranty	3
Power	• 1 W
Voltage	• 220-260 V AC
Correlated colour temperature	• 6500 K
Colour of the light	White
Colour rendering index Ra	80
Luminous efficacy	80
Luminous flux	80 lm
The lumen maintenance factor	96
Lifetime L70B50	30 000 h
Survival factor	0.9

Parameter	Value
Colour consistency in McAdam ellipses	≤6
Frequency of the supply voltage	50/60Hz
Beam angle	120 °
LED type	SMD2835
Number of on/off cycles	50000
Lamp's warm-up time to 60%	1
Ambient temperature suitable for operation	-20÷40
For indoor use	Inside
Height	55
Fixture's diameter	50 mm
Material (housing)	Glass
Material (cover)	glass

T: +48 29 764 77 00 export@ledline.pl **www.ledline.pl/en**


LED line LITE

Code: 242267


EAN: 5901583242267

LED bulb GU10 6500K 1W 80lm 230V 120° Glass LITE

Technical drawing




Light distribution




Additional product photos

Logistics data




Single packaging

Quantity	10
Width	50 mm
Height	50 mm
Length	60 mm
Weight	0,07 kg



Bulk packaging

Quantity	100
Width	290 mm
Height	170 mm
Length	595 mm
Volume	0,029 m3
Weight	6,5 kg
Comments	45



Europallet

Quantity	4500
Height	1870 mm
Quantity in layer	400
Number of layers	11
Bulk quantity	4400
Weight	286 kg

T: +48 29 764 77 00 export@ledline.pl **www.ledline.pl/en**

LED line LITE

Code: 242267

EAN: 5901583242267

LED bulb GU10 6500K 1W 80lm 230V 120° Glass LITE

Example application

T: +48 29 764 77 00 export@ledline.pl **www.ledline.pl/en**