

LED line PRIME

Code: 242885

EAN: 5901583242885

**CEILING FITTING swivel round IP20 satin PRIME**

LED line ceiling housing Prime is a modern lighting that combines elegant design with functionality. Made of aluminium casting in satin finish, it provides an aesthetic appearance. Its diameter is 92 mm, which makes it perfect for various interior arrangements. The maximum power of the lamp is 35 watts, and the possibility to adjust the lighting angle up to 45 degrees allows precise steering of the light stream.

**Technical data**





Parameter	Value
Warranty	5
IP protection rating	IP20
IEC protection class	III
Maximum suitable lamp power	35 W
Y-axis angle regulation	45
Type of surface suitable for installation	F
Distance from illuminated surface	0.5 m

Parameter	Value
Installation method	recessed
Mounting hole diameter	80
Height	30
Lamp's diameter	50 mm
Fixture's diameter	92
Colour	satin
Material (housing)	Die cast aluminium

LED line PRIME

Code: 242885

EAN: 5901583242885

**CEILING FITTING swivel round IP20 satin  
PRIME****Technical drawing****Light distribution****Additional product photos****Logistics data****Single packaging**

Quantity	1
Width	100 mm
Height	105 mm
Length	40 mm
Weight	0,07 kg

**Bulk packaging**

Quantity	100
Width	440 mm
Height	220 mm
Length	520 mm
Volume	0,050 m <sup>3</sup>
Weight	10 kg
Comments	

**Europallet**

Quantity	2100
Height	1760 mm
Quantity in layer	200
Number of layers	8
Bulk quantity	1600
Weight	160 kg

**MORE EFFICIENCY FOR THE LED WORLD**

**LED line**

---

LED line PRIME

Code: 242885

EAN: 5901583242885

---

**CEILING FITTING swivel round IP20 satin  
PRIME**

---

**Example application**