

LED line LITE


Code: 247903

EAN: 5901583247903

**LED bulb G9 2700K 8W 750lm 230V
270° Ceramic LITE**



LED bulb G9 8W 2700K 750lm 220-240V LED line LITE is an innovative source of high-efficiency light. With a power of only 8 W it generates a light stream of 750 lumens, which translates into excellent performance of 94 lm/W. It emits warm light at a colour temperature of 2700 K, creating a pleasant atmosphere in each interior. Thanks to the use of durable SMD2835 diodes and ceramic housing, it provides reliability and long-term use up to 30,000 hours.



Technical data

Parameter	Value
Energy efficiency class 2019/2015	F
Warranty	3
Power	• 8 W
Voltage	• 220-240 V AC
Correlated colour temperature	• 2700 K
Colour of the light	White
Colour rendering index Ra	80
Luminous efficacy	94
Luminous flux	750 lm
The lumen maintenance factor	96
Lifetime L70B50	30 000 h
Survival factor	0.9
Colour consistency in McAdam ellipses	≤6
Frequency of the supply voltage	50/60Hz

Parameter	Value
Beam angle	270 °
LED type	SMD2835
Power Factor	0,5
Number of on/off cycles	50000
Lamp's warm-up time to 60%	1
Ambient temperature suitable for operation	-20÷40
For indoor use	Inside
Height	70 mm
Fixture's diameter	21 mm
Diameter	21 mm
Weight	0,021 kg
Colour	white
Material (housing)	Ceramics

LED line LITE

Code: 247903


EAN: 5901583247903

**LED bulb G9 2700K 8W 750lm 230V
270° Ceramic LITE**

Technical drawing




Light distribution



Additional product photos

Logistics data



Single packaging

Quantity	1
Width	610 mm
Height	36 mm
Length	36 mm
Weight	0,026 kg

Bulk packaging

Quantity	500
Width	610 mm
Height	235 mm
Length	150 mm
Volume	0,021 m3
Weight	14,12 kg
Comments	

Europallet

Quantity	32000
Height	1880 mm
Quantity in layer	
Number of layers	
Bulk quantity	64
Weight	930 kg

LED line LITE

Code: 247903

EAN: 5901583247903

**LED bulb G9 2700K 8W 750lm 230V
270° Ceramic LITE**

Example application