

LED line LITE

Code: 248306

EAN: 5901583248306

LED bulb GU10 2700K 5W 410lm 230V
50° Glass LITE



LED line bulb LITE GU10 5W 2700K is an energy-efficient light source with a light stream of 410 lumens. It is characterized by warm white colour, creating a pleasant mood. At 5W, it achieves high light performance at 82 lm/W and Ra ≥80 color reproduction coefficient, providing natural color reproduction. With a shelf life of up to 30,000 hours and resistance to 50,000 on/off cycles, it is a reliable solution.



Technical data

Parameter	Value
Energy efficiency class 2019/2015	G
Energy class	A+
Warranty	3
Power	• 5 W
Voltage	• 220-260 V AC
Correlated colour temperature	• 2700 K
Colour of the light	White
Colour rendering index Ra	80
Luminous efficacy	82
Luminous flux	410 lm
The lumen maintenance factor	96
Lifetime L70B50	30 000 h
Survival factor	0.9

Parameter	Value
Colour consistency in McAdam ellipses	≤6
Frequency of the supply voltage	50/60Hz
Fixture's diameter	50 mm
Beam angle	50°
LED type	SMD2835
Power Factor	0,5
Number of on/off cycles	50000
Lamp's warm-up time to 60%	1
Ambient temperature suitable for operation	-20÷40
For indoor use	Inside
Height	53
Material (housing)	Glass
Material (cover)	glass

LED line LITE

Code: 248306


EAN: 5901583248306

LED bulb GU10 2700K 5W 410lm 230V

50° Glass LITE

Technical drawing


Light distribution



Additional product photos




Logistics data




Single packaging

Quantity	10
Width	40 mm
Height	40 mm
Length	104 mm
Weight	0,07 kg



Bulk packaging

Quantity	100
Width	290 mm
Height	170 mm
Length	595 mm
Volume	0,029 m3
Weight	6,5 kg
Comments	



Europallet

Quantity	4500
Height	1870 mm
Quantity in layer	400
Number of layers	11
Bulk quantity	4400
Weight	286 kg

LED line LITE

Code: 248306

EAN: 5901583248306

**LED bulb GU10 2700K 5W 410lm 230V
50° Glass LITE**

Example application