

LED line LITE

Code: 248306

EAN: 5901583248306

**LED bulb GU10 2700K 5W 410lm 230V  
50° Glass LITE**

LED line bulb LITE GU10 5W 2700K is an energy-efficient light source with a light stream of 410 lumens. It is characterized by warm white colour, creating a pleasant mood. At 5W, it achieves high light performance at 82 lm/W and Ra ≥80 color reproduction coefficient, providing natural color reproduction. With a shelf life of up to 30,000 hours and resistance to 50,000 on/off cycles, it is a reliable solution.

**Technical data**





Parameter	Value
Energy efficiency class 2019/2015	G
Warranty	3
Power	• 5 W
Voltage	• 220-260 V AC
Correlated colour temperature	• 2700 K
Colour of the light	White
Colour rendering index Ra	80
Luminous efficacy	82
Luminous flux	410 lm
The lumen maintenance factor	96
Lifetime L70B50	30 000 h
Survival factor	0.9
Colour consistency in McAdam ellipses	≤6

Parameter	Value
Frequency of the supply voltage	50/60Hz
Beam angle	50°
LED type	SMD2835
Power Factor	0,5
Number of on/off cycles	50000
Lamp's warm-up time to 60%	1
Ambient temperature suitable for operation	-20÷40
For indoor use	Inside
Height	53
Fixture's diameter	50 mm
Material (housing)	Glass
Material (cover)	glass

LED line LITE

Code: 248306

EAN: 5901583248306

**LED bulb GU10 2700K 5W 410lm 230V  
50° Glass LITE****Technical drawing****Light distribution****Additional product photos****Logistics data****Single packaging**

Quantity	10
Width	40 mm
Height	40 mm
Length	104 mm
Weight	0,07 kg

**Bulk packaging**

Quantity	100
Width	290 mm
Height	170 mm
Length	595 mm
Volume	0,029 m <sup>3</sup>
Weight	6,5 kg
Comments	

**Europallet**

Quantity	4500
Height	1870 mm
Quantity in layer	400
Number of layers	11
Bulk quantity	4400
Weight	286 kg

**MORE EFFICIENCY FOR THE LED WORLD**

**LED line**

---

LED line LITE

Code: 248306

EAN: 5901583248306

**LED bulb GU10 2700K 5W 410lm 230V  
50° Glass LITE**

---

**Example application**