

LED line PRIME

Code: 470218-II

EAN: 5905378201545

**LED bulb GU10 2700K 10W 1250lm 230V
120° DIM Ceramic PRIME**



LED bulb GU10 10W 2700K 1250lm from LED line PRIME is an innovative light source, characterized by high light efficiency of 125 lm/W. Thanks to the use of SMD2835 diode technology, the product generates a pleasant, warm white light with a colour temperature of 2700 K. Powered in the 170-250 V AC voltage range, it offers a long life of up to 30,000 hours and the ability to adjust brightness with compatible TRIAC dimmers.



Technical data

| Parameter | Value |
|---------------------------------------|----------------|
| Energy efficiency class 2019/2015 | E |
| Warranty | 5 |
| Power | • 10 W |
| Voltage | • 170-250 V AC |
| Correlated colour temperature | • 2700 K |
| Colour of the light | White |
| Colour rendering index Ra | 80 |
| IP protection rating | IP20 |
| Luminous efficacy | 125 |
| Luminous flux | 1250 lm |
| The lumen maintenance factor | 96 |
| Lifetime L70B50 | 30 000 h |
| Survival factor | 0.9 |
| Dimmable function | Triac |
| Colour consistency in McAdam ellipses | ≤6 |

| Parameter | Value |
|---------------------------------|----------|
| Bulb thread type | GU10 |
| Frequency of the supply voltage | 50/60Hz |
| Lamp's type | GU10 |
| Beam angle | 120 ° |
| LED type | SMD2835 |
| Compatible dimmer type | TRIAC |
| Power Factor | 0,7 |
| Number of on/off cycles | 50000 |
| Lamp's warm-up time to 60% | 1 |
| For indoor use | Inside |
| Height | 55 mm |
| Weight | 0,06 kg |
| Colour | White |
| Material | Ceramic |
| Material (housing) | Ceramics |


LED line PRIME

Code: 470218-II


EAN: 5905378201545

**LED bulb GU10 2700K 10W 1250lm 230V
120° DIM Ceramic PRIME**


Technical drawing





Light distribution



Additional product photos



Logistics data



Single packaging

| | |
|----------|---------|
| Quantity | 1 |
| Width | 50 mm |
| Height | 63 mm |
| Length | 50 mm |
| Weight | 0,07 kg |

Bulk packaging

| | |
|----------|----------|
| Quantity | 100 |
| Width | 280 mm |
| Height | 155 mm |
| Length | 575 mm |
| Volume | 0,024 m3 |
| Weight | 7 kg |

Europallet

| | |
|-------------------|--------|
| Quantity | 4800 |
| Height | 1,90 m |
| Quantity in layer | 2000 |
| Number of layers | 3 |
| Bulk quantity | 48 |
| Weight | 445 kg |

LED line PRIME

Code: 470218-II

EAN: 5905378201545

**LED bulb GU10 2700K 10W 1250lm 230V
120° DIM Ceramic PRIME**

Example application

