

LED line PRIME

Code: 479785

EAN: 5907777479785

LED line PRIME LED strip 480 COB 24V 2700K 11W



LED LED line PRIME 480 COB 24V 2700K 11W is a modern lighting solution that provides high quality light with a warm colour of 2700K. Thanks to COB technology, the tape is characterized by a light output of 100 lm/W and an evenly distributed izzface at an angle of 180°. The product reaches a total luminous flux of 1100 lm per metre.



Technical data

Parameter	Value	Parameter	Value
Energy efficiency class 2019/2015	F	Luminous flux (lm)	1100
Warranty	5	Current (Im)	0,46
Power	• 11 W / m	Beam angle	180
Voltage	• 24 V DC	LED type	COB
Colour of the light	White	LED quantity	2400
Colour rendering index Ra	90	Compatible dimmer type	PWM
IP protection rating	IP20	Laminate (colour)	White
IEC protection class	III	Laminate (thickness)	2
Cutting section	5 cm	LED quantity (lm)	480
Luminous efficacy	100	Type of adhesive tape	3M 300 LSE
The lumen maintenance factor	96	Ambient temperature suitable for operation	-30÷45
Lifetime L70B50	50 000 h	For indoor use	Inside
Survival factor	0.9	Length	5000
Dimmable function	PWM	Width	8
Colour consistency in McAdam ellipses	≤3	Height	2
Wire length	200 mm		


LED line PRIME

Code: 479785


EAN: 5907777479785

LED line PRIME LED strip 480 COB 24V
2700K 11W

Technical drawing






Light distribution



Additional product photos

Logistics data



Single packaging

Quantity	5 m
Width	153 mm
Height	15 mm
Length	153 mm
Weight	0,14 kg
Comments	

Bulk packaging

Quantity	40
Width	320 mm
Height	180 mm
Length	360 mm
Volume	0,020 m3
Weight	5,87 kg
Comments	

Europallet

Quantity	12000 m
Height	1800 mm
Quantity in layer	240
Number of layers	10
Bulk quantity	2400
Weight	300 kg

LED line PRIME

Code: 479785

EAN: 5907777479785

**LED line PRIME LED strip 480 COB 24V
2700K 11W**

Example application