

LED line PRIME

Code: 479785

EAN: 5907777479785

LED line PRIME LED strip 480 COB 24V 2700K 11W



LED LED line PRIME 480 COB 24V 2700K 11W is a modern lighting solution that provides high quality light with a warm colour of 2700K. Thanks to COB technology, the tape is characterized by a light output of 100 lm/W and an evenly distributed izzface at an angle of 180°. The product reaches a total luminous flux of 1100 lm per metre.



Technical data

Parameter	Value	Parameter	Value
Power	• 11 W / m	Metres per roll	5 m
Voltage	• 24 V DC	The lumen maintenance factor	96
IP protection rating	IP20	Beam angle	180
Energy efficiency class 2019/2015	F	LED type	COB
Colour consistency in McAdam ellipses	≤3	LED quantity	2400
Colour of the light	White	Compatible dimmer type	PWM
Luminous efficacy	100	Laminate (colour)	White
Warranty (years)	5	Laminate (thickness)	2
Dimmable function	PWM	LED quantity (1m)	480
Survival factor	0.9	Cutting section	5 cm
Minimum purchase quantity	5	Type of adhesive tape	3M 300 LSE
Lifetime L70B50	50 000 h	Ambient temperature suitable for operation	-30÷45
Wire length	200 mm	For indoor use	Inside
Wattage (1m)	11	IEC protection class	III
Luminous flux (1m)	1100	Length	5000
Current (1m)	0,46	Width	8
Colour rendering index Ra	90	Height	2


LED line PRIME

Code: 479785

EAN: 5907777479785


LED line PRIME LED strip 480 COB 24V  
2700K 11W

Technical drawing




Light distribution

Additional product photos




Logistics data




Single packaging

Quantity	5 m
Width	153 mm
Height	15 mm
Length	153 mm
Weight	0,14 kg
Comments	



Bulk packaging

Quantity	40
Width	360 mm
Height	180 mm
Length	320 mm
Volume	0,020 m3
Weight	5,87 kg
Comments	



Europallet

Quantity	12000 m
Height	1800 mm
Quantity in layer	240
Number of layers	10
Bulk quantity	2400
Weight	300 kg

---

LED line PRIME

Code: 479785

EAN: 5907777479785

**LED line PRIME LED strip 480 COB 24V  
2700K 11W**

---

**Example application**