

LED line LITE

Code: LL-DP-30-24

EAN: 5905378220171

**Junction Box Power Supply 24V 30W
IP67 LITE**

LED line flush-mounted power supplies – power, protection and reliability in all conditions!

Key advantages:

- High energy efficiency – up to 90%
- Full protection: SCP (short circuit), OLP (overload), OVP (overvoltage), OTP (overheating)
- Outdoor resistance – IP67 protection
- Wide input voltage range – 100–240V AC
- Long lifespan – up to 5 years of operation under full load



Technical data

Parameter	Value
Warranty	3
Power	• 30 W
Voltage	• 100-240 V AC
IP protection rating	IP67
IK protection rating	05
IEC protection class	II
Output current range	0 - 1,25 A
Output current	1,25 A
Rated current	0,33 - 0,78 A
Ambient humidity	20 ÷ 90%

Parameter	Value
Mounting type	recessed
Frequency of the supply voltage	50/60Hz
Power Factor	0,5
Ambient temperature suitable for operation	-25÷40
Mounting hole diameter	41-49 mm
Length	50 mm
Width	50 mm
Height	22 mm
Weight	0,082 kg
Output voltage	• 24 V


LED line LITE

Code: LL-DP-30-24

EAN: 5905378220171

**Junction Box Power Supply 24V 30W
IP67 LITE**

Technical drawing



Light distribution

Additional product photos



Logistics data



Single packaging

Quantity	1
Width	65 mm
Height	25 mm
Length	65 mm
Weight	0,089 kg

Bulk packaging

Quantity	200
Width	500 mm
Height	310 mm
Length	230 mm
Weight	18,3 kg

Europallet

Quantity	6000 pcs (30 master carton)
Height	1900 mm
Quantity in layer	6
Number of layers	5
Bulk quantity	6000 pcs (30 master carton)
Weight	580 kg

LED line LITE

Code: LL-DP-30-24

EAN: 5905378220171

**Junction Box Power Supply 24V 30W
IP67 LITE**

Example application