

LEDline


CAMINO CCT





ROAD LUMINAIRES

CAMINO 3CCT



EFFICACY 140 lm/W

Power [W]:
50, 70, 100, 150

Luminous flux [lm]:
7000, 9800, 14000, 21000

Beam angle [°]:
150x110 (T2M)

Colour temperature [K]:
CCT 3000-4000-5700

Lifetime [h]:
L70B50 - 100.000

Housing:
aluminium

Diffuser:
tempered glass

Key features:

- ▶ Adjustable light color (CCT 3000/4000K/5700K)
- ▶ High luminous efficacy up to 140 lm/W
- ▶ Easy installation on Ø60 mm poles and tilt angle adjustment ±15° + 90°
- ▶ Professional and precise light distribution (150×110°)
- ▶ Dark-sky compliant, ULOR 0%
- ▶ Long lifespan rated L70B50 – 100,000h

Application:

- ▶ Urban, local, and express roads
- ▶ Residential areas and parks
- ▶ Parking lots and petrol stations
- ▶ Pedestrian and bicycle paths
- ▶ Industrial and commercial areas

CAMINO 3CCT – new edition, new possibilities

CAMINO CCT is a modern PRIME-class street luminaire designed for flexible and energy-efficient public lighting. With **adjustable color temperature (3000 / 4000 / 5700K)**, a single unit replaces three monochromatic versions, ensuring perfect adaptability to various environments – from residential zones to expressways and industrial areas.

Equipped with precise **T2M optics (150×110°)**, the luminaire provides uniform light distribution and maximum visual comfort, achieving an **efficiency of up to 140 lm/W**. Its robust aluminum and tempered glass construction, **high IP66 / IK08 protection**, and **10 kV surge protection** make CAMINO CCT a reliable solution for demanding outdoor conditions, offering a lifetime of up to 100,000 hours.

Full compliance with the **Dark Sky standard (ULOR 0%)** and a **7-year warranty** make CAMINO CCT a durable, long-term infrastructure lighting solution.





Technical specifications



W	beam	lm	symbol
50	150x110	7000	203105-II
70	150x110	9800	216792-II
3000-4000-5700K			CCT



W	beam	lm	symbol
100	150x110	14000	203112-II
150	150x110	21000	203129-II
3000-4000-5700K			CCT



Accessories



SPLIT POLE

Check out the offer
www.ledline.pl



LED line

WE CO-CREATE



LEDIN Group Sp. z o.o.
Dębowa 1
07-410 Tobolice
Poland

export@ledline.pl
ledline.eu

 [/LEDIN Group Sp. z o.o.](#)

 [/LED line](#)

 [/LED line](#)