

LED line LITE Code: 240621 EAN: 5901583240621

LED line GU10 5,5W 2700K 500lm 220-240V DIM





LITE GU10 5,5W 2700K LED line bulb is an efficient source of warm-colour light that emits 500 lumens. Its colour temperature is 2700 K, which provides a cozy atmosphere. Powered by 220-240 V AC voltage and 50/60 Hz frequency, it has a high energy efficiency of 91 lm/W and a durability of up to 30,000 hours. Thanks to the TRIAC function, it is possible to dim it comfortably.









Technical data

Parameter	Value
Voltage	• 220-240 V AC
Luminous efficacy	91
Colour of the light	White
Energy efficiency class 2019/2015	G
Luminous flux	500
Colour consistency in McAdam ellipses	≤ 6
Warranty (years)	3
Dimmable function	Triac
Survival factor	0.9
Lifetime L70B50	30 000 h
Frequency of the supply voltage	50/60Hz
Colour rendering index Ra	80
The lumen maintenance factor	96
Fixture's diameter	50 mm
Beam angle	60

Parameter	Value
Material (housing)	Glass
LED type	SMD2835
Compatible dimmer type	TRIAC
Power Factor	0,8
Number of on/off cycles	50000
Colour consistency in McAdam ellipses	≤ 6
Ambient temperature suitable for operation	-20÷40
For indoor use	Inside
Full box quantity	100
Lamp's warm-up time to 60%	1 s
Height	54
Energy class	A +
Correlated colour temperature	• 2700 K
Power	• 5.5 W



LED line LITE Code: 240621 EAN: 5901583240621


LED line GU10 5,5W 2700K 500lm 220-240V DIM

Technical drawing



Light distribution


Luminous [cd/klm]



Additional product photos




Logistics data




Single packaging

Quantity	10
Width	50 mm
Height	50 mm
Length	60 mm
Weight	0,08 kg



Bulk packaging

Quantity	100
Width	540 mm
Height	165 mm
Length	280 mm
Volume	0,024 m3
Weight	7 kg
Comments	



Europallet

Quantity	4000
Height	1815 mm
Quantity in layer	400
Number of layers	11
Bulk quantity	4400
Weight	308 kg

MORE EFFICIENCY FOR THE LED WORLD



LED line LITE Code: 240621 EAN: 5901583240621

LED line GU10 5,5W 2700K 500lm 220-240V DIM

Example application