

LED line LITE

Code: 240621

EAN: 5901583240621

**LED bulb GU10 2700K 5,5W 500lm 230V
60° DIM Glass LITE**

LITE GU10 5,5W 2700K LED line bulb is an efficient source of warm-colour light that emits 500 lumens. Its colour temperature is 2700 K, which provides a cozy atmosphere. Powered by 220-240 V AC voltage and 50/60 Hz frequency, it has a high energy efficiency of 91 lm/W and a durability of up to 30,000 hours. Thanks to the TRIAC function, it is possible to dim it comfortably.

ON/OFF
50.000**Technical data**






Parameter	Value
Energy efficiency class 2019/2015	G
Warranty	3
Power	• 5.5 W
Voltage	• 220-240 V AC
Correlated colour temperature	• 2700 K
Colour of the light	White
Colour rendering index Ra	80
Luminous efficacy	91
Luminous flux	500 lm
The lumen maintenance factor	96
Lifetime L70B50	30 000 h
Survival factor	0.9
Dimmable function	Triac

Parameter	Value
Colour consistency in McAdam ellipses	≤6
Frequency of the supply voltage	50/60Hz
Beam angle	60°
LED type	SMD2835
Compatible dimmer type	TRIAC
Power Factor	0,8
Number of on/off cycles	50000
Lamp's warm-up time to 60%	1
Ambient temperature suitable for operation	-20÷40
For indoor use	Inside
Height	54
Fixture's diameter	50 mm
Material (housing)	Glass

LED line LITE

Code: 240621

EAN: 5901583240621

**LED bulb GU10 2700K 5,5W 500lm 230V
60° DIM Glass LITE****Technical drawing****Light distribution****Additional product photos****Logistics data****Single packaging**

Quantity	10
Width	50 mm
Height	50 mm
Length	60 mm
Weight	0,08 kg

Bulk packaging

Quantity	100
Width	280 mm
Height	165 mm
Length	540 mm
Volume	0,024 m ³
Weight	7,6 kg
Comments	

Europallet

Quantity	4400
Height	1,90 m
Quantity in layer	1600
Number of layers	3
Bulk quantity	44
Weight	390 kg

MORE EFFICIENCY FOR THE LED WORLD

LED line

LED line LITE

Code: 240621

EAN: 5901583240621

**LED bulb GU10 2700K 5,5W 500lm 230V
60° DIM Glass LITE**

Example application